



**DISCOVER
THE OISIPIC 100% STAINLESS
STEEL LINE**

PREMIUM LINE



DESCRIPTION

Material:


- Spikes: AISI 302 stainless spring steel, Afnor X10 standard, CrNi 18-8
 - Base: 301 Stainless steel
- Strength** 1760 to 2010 N/mm²
Strip length: 50 cm



MODEL PREMIUM 80

Ø 1.3 mm - LENGTH 110 mm
 301 ST. STEEL BASE – 72 spikes/m
Coverage 8 - 13 cm

72 SPIKES/M




Premium 80

MODEL PREMIUM 120

Ø 1.3 mm - LENGTH 110 mm
 301 ST. STEEL BASE – 72 spikes/m
Coverage 12 - 17 cm

72 SPIKES/M




Premium 120

MODEL PREMIUM 150

Ø 1.3 mm - LENGTH 110 mm
 301 ST. STEEL BASE – 72 spikes/m
Coverage 15 - 20 cm

72 SPIKES/M




Premium 150

MODEL PREMIUM 150+

Ø 1.5 mm - LENGTH 130 mm
 301 ST. STEEL BASE – 72 spikes/m
Coverage 15 - 20 cm

72 SPIKES/M



Premium 150 PLUS



GUTTER CLIPS

FUNCTION


- Oisiclip gutter clips are used to fasten any bird deterrent product from our **PREMIUM** line onto gutters.
- Simply slide the clip onto the Oisipic base and then snap it onto the gutter.
- Suitable for **all types of gutters**.
- Made of stainless steel spring wire.
- Rustproof. UV-resistant. Withstands sub-freezing temperatures.

DESCRIPTION

Material: AISI 302 standard stainless spring steel 1.50 mm in diameter
Fits onto beads 15 mm and 20 mm in diameter
 Fits onto any structure up to 15 mm thick.
 Fits onto stainless steel or PVC gutters, etc.

PACKAGING

- Bag of 100
- Box of 1000



TILE STOPPER

FUNCTION


- Suitable for all types of half-round tiles thanks to the spring effect of the wire.
- Prevents birds and rodents from getting into and nesting under roofs.
- Clips on easily using its spring wire handles.
- Rustproof. UV-resistant. Withstands sub-freezing temperatures.

DESCRIPTION

Material: AISI 302 standard stainless spring steel 2 mm in diameter

PACKAGING

- Pack of 10
- Box of 200



The stainless steel base can be glued onto any supporting element using a suitable bond.



The stainless steel base includes holes for mechanical fastening.




The strips can easily be separated without using any tools.



The strips are bendable and thus adapt to any supporting element.



4 different clips available according to type of gutter.



SUITABLE PACKAGING

- 25 m box



OPTIMAL STORAGE AND SHIPPING

Up to 2,500 ml

FUNCTION

- All models of OISIPIC PREMIUM line bird control devices are made of a stainless steel base and stainless spring steel spikes.
- Do not rust. UV-resistant. Withstand sub-freezing temperatures.
- 50 cm strips can be **snapped apart without needing any tools** and are stackable for easy storage.
- They are fastened either by gluing, screwing or clipping onto any type of support element or gutter using Oisiclip line clips.

RECOMMENDATIONS

- CHABANNE will not be held liable for support elements that do not comply with the intended purpose.
- OISIPIC can be installed on all kinds of surfaces. CHABANNE will not be held liable for how OISIPIC products are mounted.
- Wear personal protection equipment when handling OISIPIC (gloves, goggles etc.).
- Keep the product out of the reach of children.



ROUTE DE RIVAS – BP 16 – 42330 SAINT-GALMIER – FRANCE

E-mail: batiment@chabanne.com - Tel.: +33 (0)4 77 36 34 84 - Fax: +33 (0)4 77 94 95 07

oisipic.fr

